



TEST REPORT

(This Report is issued subject to the terms & conditions set out below)

SetSCO Services Pte Ltd
18 Teban Gardens Crescent
Singapore 608925
Tel : (65) 6566 7777
Fax: (65) 6566 7718
www.setsco.com
Business Reg. No. 196900269D

Date: 03/05/2021

Page 1 of 2

Your Ref:

Our Ref: FB 8500159479 (Revision 2)

Subject : Bioburden Testing for “Granzilla Aircare 3 Ply Disposable Face Mask”
Sample submitted by Grantech Pte Ltd on 26/04/2021 and tested on 27/04/2021.

Tested For : **Grantech Pte Ltd**
629 Aljunied Road
Unit 04-17
Cititech Industrial Building
Singapore 389838
Attention: SY Ong

Test Method : BS EN 14683:2019 / ISO 11737-1:2018 (Bio-burden Test)

Sample Reference : Granzilla Aircare 3 Ply Disposable Face Mask (Black/White)
(Lot: LOT21042021)

Results :

Counts of Test Microorganisms Used for Validation

Test Microorganisms	ATCC Strain	Colony Forming Unit
<i>Staphylococcus aureus</i>	ATCC 6538	38
<i>Pseudomonas aeruginosa</i>	ATCC 9027	40
<i>Bacillus atrophaeus</i>	ATCC 9372	38
<i>Candida albicans</i>	ATCC 10231	32
<i>Aspergillus niger</i>	ATCC 16404	30

Terms & Conditions:

- (1) The Report is prepared for the sole use of the Client and is prepared based upon the Item submitted, the services required by the Client and the conditions under which the Services are performed by SETSCO. The Report is not intended to be representative of similar or equivalent Services on similar or equivalent Items. The Report does not constitute an endorsement by SETSCO of the Item.
- (2) SETSCO agrees to use reasonable diligence in the performance of the Services but no warranties are given and done may be implied directly or indirectly relating to the Services, the Report or the facilities of SETSCO.
- (3) SETSCO shall under no circumstances be liable to the Client or its agents, servants or representatives, in contract, tort (including negligence or breach of statutory duty) or otherwise for any direct or indirect loss or damage suffered by the Client, its agents, servants or representative howsoever arising or whether connected with the Services provided by SETSCO herein.
- (4) The Report may not be used in any publicity material without the written consent of SETSCO.
- (5) The Report shall not be reproduced in part or in full unless approval in writing has been given by SETSCO.

Growth Promotion Test & Environmental Sterility

Control	Medium Type	Results
Media Sterility	SCDA	No Growth
Media Sterility	SDA	No Growth
<i>Staphylococcus aureus</i>	SCDA	40
<i>Pseudomonas aeruginosa</i>	SCDA	38
<i>Bacillus atrophaeus</i>	SCDA	42
<i>Candida albicans</i>	SDA	32
<i>Aspergillus niger</i>	SDA	28

Product Inoculation Test (Method Suitability Test)

Test Microorganisms	Control (cfu/100ml)	Sample (cfu/100ml)	Recovery Efficiency %
<i>Bacillus atrophaeus</i>	69	56	81

Sample Test

Sample	Filtered Volume	Weight (g)	SCDA	SDA	CFU/sample	CFU/g	Conclusion
1	100 ml	3.03	5	7	12	3.96	<p style="text-align: center;">Pass 5 cfu/g < 30 cfu/g</p>
2		3.05	15	3	18	5.90	
3		3.08	21	3	24	7.79	
4		3.06	15	3	18	5.88	
5		3.03	9	3	12	3.96	
Average cfu/g						5.50	

Remark:-

1. SCDA-Soybean Casein Digest Agar, 32.5± 2.5°C
2. SDA - Sabouraud Dextrose Agar, 22.5± 2.5°C
3. The tested results apply only to the samples as received by the laboratory.

Conclusion:

From the above analysis criteria, the sample **passed** the microbial cleanliness test (bioburden) by achieving < 30 cfu/g in accordance with BS EN 14683:2019.



MAHENTHIRAN
SENIOR EXECUTIVE MICROBIOLOGIST
BIOLOGICAL & CHEMICAL TECHNOLOGY DIVISION